



IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY



**VOLUME : Vol. ISSUE : 02 Print / Issue Publication Date: 09-Sep-2024
9, Issue 02**



ISSN : 2455-2143



DOI : 10.33564/IJEAST.2024.v09i02.012

Indexed In



WWW.IJEAST.COM

editor@ijeast.com



INTEGRATIVE APPROACHES IN THE DETECTION OF LEAF DISEASES USING IMAGE PROCESSING AND MACHINE LEARNING TECHNIQUES

Ramesha K

Assistant Professor

Department of Master of Computer Applications
Vivekananda College of Engineering and Technology Puttur, India

Samhitha Ariga

II MCA, Department of Master of Computer Applications
Vivekananda College of Engineering and Technology Puttur, India

Poojalakshmi

II MCA, Department of Master of Computer Applications
Vivekananda College of Engineering and Technology Puttur, India

Abstract—Leaf illnesses are a major global threat to food security and agricultural output. Visual inspection is a common component of traditional illness detection techniques, but it might be labor-intensive and subjective. In response, this work investigates integrative methods for computerized leaf diseases identification with processing of image and computer learning methods. Our approach performs well in differentiating between leaf illness such as fungal infections, viral diseases, and physiological problems by utilizing models for machine learning that were taught on a huge dataset of photos of both well and sick people leaves. Preprocessing methods like picture augmentation and normalization improve the models' accuracy and generaliz ability, and complex algorithms for ML make feature retring and disease categorization easier. Furthermore to improving agricultural health management, this research highlights how ML- driven approaches have the power to completely transform agricultural decision making and leaf illness surveillance.

Index Terms—Agricultural sector, Leaf diseases, Image processing, Machine Learning, Convolutional Neural Network

I. INTRODUCTION

The agricultural productivity is seriously threatened by leaf diseases, which can result in lower crop quality and

financial losses. To ensure that preserve healthy crops and guarantee food security, prompt and precise identification of these diseases is essential. Conventional methods for detecting diseases are labor-intensive and prone to inaccuracy since they depend on skilled manual inspection. In this work, a CNNs based technique for identifying leaf illness is presented. Our aim is to program the detection process by utilizing CNNs, which will improve efficiency and accuracy. Researchers and farmers can forecast leaf diseases with great reliability regards to the model's training using the Keras library.

A. Objectives

The main aim of this investigation is to develop an effective and automated approach for finding leaf diseases that uses CNN, thereby replacing traditional, labor-intensive manual inspection methods. This involves collecting and preprocessing a comprehensive dataset of leaf photos that encompass numerous diseases and conditions, making certain that the training information for the model comes from a diverse and representative sample. Another key purpose is to construct and train the CNN configuration using the Keras library, centering on the accurate feature retrieval and categorization from the leaf images. The efficiency of the trained model using parameters like recall, accuracy, precision and F1-score is required for validate its effectiveness. Finally, the study aims to save the proficient model for future use, enabling quick and efficient prediction of leaf illness on new images, and explore its real world



applicability, including deployment on IoT devices for real-time monitoring and management in agricultural settings.

II. RELATED WORKS

The section on related works reviews previous studies that solve the hurdle of precisely recognizing and categorizing plant illness by applying machine learning and image processing methods. Several research studies have recommended techniques for automating the detection of leaf illness with advanced image classification algorithms CNN.

The section on related works reviews previous studies that address the challenge of accurately identifying and classifying using ML approaches and image processing to combat plant diseases. Numerous research have suggested techniques for automating the identification of leaf illness with advanced image classification algorithms, such as convolutional neural networks (CNNs) [1].

The evaluation of leaf abnormalities is a critical component of agricultural sectors' economic prosperity, and this study looks at it. The study examines research from 2010 to 2022 with a focus on leaf diseases, emphasizing the usage of multispectral and hyperspectral imaging for disease analysis. Leaf disease classifying frequently uses both DL and ML models, such as CNN, VGG, ResNet, and SVM, Random Forest, and Multiple Twin SVM (MTSVM). The review highlights the effectiveness of CNN, VGG, and ResNet in disease diagnosis and offers a workflow method to support researchers. Researchers looking for effective classifiers for leaf disease identification might gain important information from performance evaluation metrics including F1 score, accuracy, and precision [2].

This essay discusses the importance of effective disease detection methods in agriculture also includes large financial and productivity losses brought on by plant diseases. Conventional techniques rely on the visual inspections of experts, which take time and are less practical for broad fields. This strategy tries to increase crop productivity and enhance disease management techniques. The study also contrasts the advantages and drawbacks of several detection techniques [3].

Identifying and preventing crop diseases is important concern for farmers in an agro-based economy such as India. The significance of practical and efficient illness detection techniques is emphasized in this essay. Strictly depending on visual assessment is frequently inaccurate and time-consuming. The study identifies and categorizes agricultural produce as normal or impacted using criteria related to color and texture. The precision of disease identification is improved by these combined qualities. The research offers a useful technique that significantly increases how accurate automatic disease identification in *Malus Domestica* (apples) by utilizing K means clustering, color, and texture analysis [4].

The country's ability to grow economically is primarily reliant on the amount and caliber of its crop output. Early illness detection can increase the rate of production. In the last few years, numerous image processing-based techniques for identifying illnesses of the leaves have been created. This study offers a summary of various technologies for identifying illnesses of the leaves through image processing, categorizing based on the analysis tool and applications. Most of the technologies now in use for identifying leaf diseases systems are briefly reviewed and critically analyzed, and a contrasting the various methods is looked at and provided. The main problems and difficulties in identifying leaf diseases are outlined. The reference list includes a huge selection of publications, books, and standards that are helpful to scholars both farmers and agricultural policymakers [5].

The agricultural sector is the one on which the economy of our country heavily depends. That's why identifying unhealthy leaves is the key to preventing a decline in crop yield and production. It required a great deal of labor, expertise in leaf diseases, and a significant amount of time. As the outcome, processing of image approaches are used to detect and find unhealthy plant leaves. Plant leaf illness identification with an automated approach is helpful since it reduces the load of work required for extensive farm observation and can detect disease symptoms early on [6].

This study uses an image processing way to recognize the illness known as leaf rot in betel vines (*Piper betel* L.). An essential component of plant science research and its related applications is the measurement of plant characteristics. Particularly helpful are the applications of plant feature data in agricultural research, plant growth modeling, and farm output. There aren't many techniques used to identify leaf rot in betel vine leaves (*Piper betel* L.). Although time-consuming, labor intensive, and inconvenient, traditional direct measurement techniques are typically straightforward and trustworthy. On the other hand, the suggested vision-based techniques are effective in identifying and observing the external signs of the condition [7].

Prompt detection of the illness is essential for high agricultural yield. Crop yield loss could affect from the disease if prompt identification is not considered. Therefore, it can be difficult for agronomists and farmers to detect diseases either early on or later on. Deep learning is crucial in helping these staff identify disease symptoms in contaminated plants. Also to save time, the machine-based recognition system built on processing image is more reliable and effective than manual assessment technique. It supports growers in taking prompt action to treat leaf diseases wisely to protect their crops [8].

To develop effective nutrition and illness management techniques, rice-related institutions like the IRRI rely on manual eyeball exercises to evaluate a rice plant's health through its leaves. This research presents an computerized



approach that uses color image mapping to identify illnesses on rice leaves. Using the histogram collision of test and healthy rice leaf photos, the system first extracts the exception region from an image of a rice leaf to be tested. After the outlier has been identified, related regions are organized into groups using a threshold-based K-means clustering technique [9].

Significant losses are incurred by plant diseases in agricultural product output, economics, quality, and quantity. Plant disease losses must be managed because the agricultural output of India accounts for 70% of the country's GDP. To prevent such diseases, plants must be watched over from the very beginning of their life cycle. Previously, monitoring was done through traditional inspection, which is costly, time consuming, and needs a high level of competence. Therefore, the illness identification system needs to be automated in terms to expedite this process. Image processing algorithms must be developed for the illness detection system. Numerous scientists have created systems based on different image processing approaches [10].

Recognition of patterns approaches are widely used in agricultural research, and they are highly perceived, specifically in the farm of plant protection, which ultimately leads to crop management. Our proposal involves the usage of processing image techniques to automatically identify and categorize illnesses affecting sugarcane leaves through artificial intelligence. Digital cameras were used to take pictures of the affected sugarcane leaves. To identify the infected areas of the leaves, preprocessing techniques such as image histogram equalization, filtering, color modification, and segmentation are included to the images. After that, a SVM classifier was used to classify the diseased leaf. This can be achieved by segmenting the leaf area and afflicted area by obtaining the illness portion of a leaf using the K means clustering approach [11].

India's fast population expansion and rising food consumption make agriculture a vital sector of the country. Consequently, crop yield needs to grow. Diseases brought on by bacteria, viruses, and fungi are a significant factor in reduced crop yields. Methods for identifying plant disease can be relied to avoid it. Because machine learning techniques focus on the results of specific tasks and primarily apply to data, they can be used to detect diseases. The steps of a general plant illness identification system are provided in this research, along with a comparison of ML classification techniques for plant illness detection. In Relation to this survey, CNN identify more illness in a variety of crops with a high accuracy [12].

One essential component of describing plants for plant growth monitoring is plant phenotyping. This research presents an effective method that uses processing of image and machine learning approaches to distinguish between healthy and damaged or infected leaves. Numerous illnesses

cause the chlorophyll in leaves to be damaged, resulting in dark or black spots on the leaf surface. Grey Level Co-occurrence Matrix (GLCM) is relied for feature extraction. One ML approach used for categorization is SVM. In contrast to the SVM method, the CNN produced better recognition accuracy [13].

III. PROPOSED SYSTEM

The suggested approach involves the evolution of a CNN based system for the finding of leaf diseases, ensuring an extensive dataset of a leaf pictures encompassing a wide variety of diseases was collected from multiple sources. Iterations of the dataset for testing and training were separated to evaluate model performance. Data preparation was a critical step, enhancing the standard of raw images by resizing them to a standard size, normalizing pixel values to a range of 0 to 1, and using methods for data augmentation like rotation, flipping, and zooming to prevent overfitting and increase training data diversity.

The CNN framework built using the Keras package, employs a series of pooling and convolutional layers to automatically extract pertinent characteristics from input images. These layers detect patterns indicative of various leaf diseases, including edges, textures, and shapes. The architecture consists of multiple convolutional layers activated by ReLU, max-pooling layers to reduce dimensionality, and completely connected layers to classify the retrieved features into specific disease categories. The model was instructed utilizing the preprocessed dataset with appropriate loss functions and optimizers. Once trained, the model was kept for later use, enabling quick and efficient disease prediction on new leaf images without the requirement for retraining.

The implement of the saved model in various applications can achieve real-time disease diagnosis. Here is how the CNN contributes:

- **Feature Extraction:** The architecture includes convolutional, Pools and layers with full connectivity. These strata are effective at extracting hierarchical information from images, necessary for differentiating between various leaf diseases.
- **Data Augmentation:** Methods like as rotation, flipping, and zooming enhance the diversity of training data, improving model generalization and preventing over fitting.
- **Training and Fine-tuning:** The model was trained and fine-tuned on the preprocessed dataset, with the final layers optimized to capture specific patterns associated with different leaf diseases.
- **Classification Accuracy:** The architecture's ability to extract complex information from images results in high classification accuracy. The model outputs probabilities or labels for each disease category, enabling accurate and efficient real-time disease detection.



IV. METHODOLOGY

The method used for creating an automated leaf illness identification mechanism that utilizes CNN involves several crucial steps to ensure accuracy and efficiency. This process utilizes cutting-edge methods for the preprocessing of images and ML to improve the detection and categorization of leaf illness.

The following essential components are part of the procedure for creating an automated leaf illness detection system:

- **Dataset Collection:** Start by compiling an extensive dataset of leaf photos from multiple sources, covering a large variety of illness and healthy leaves. Ensure the dataset includes diverse textures, colors, and orientations to improve model robustness.
- **Preprocessing:** Resize all images to a consistent size suitable for the CNN configuration input (e.g., 224x224 pixels). Normalize pixel values to a standard range (e.g., 0-1) and perform necessary preprocessing operations such as centering and standardization.
- **Data Augmentation:** To prevent overfitting and enhance diversity, augment the dataset using methods like flips, shifts, zooms, and rotations. This creates new training examples without the additional data collection.
- **Splitting Data:** Divide the dataset into training, validation, and test sets. The training set is used to instruct the model, the validation set monitors performance and adjusts hyperparameters, and the test set is reserved for the last evaluation.
- **Model Selection:** Select an appropriate CNN architecture for image classification. Use a pre-trained model, such as VGG16, which is originally trained on a big dataset like ImageNet but without the top (fully connected) layers.
- **Transfer Learning:** Implement transfer learning by initializing the CNN with pre-trained weights from ImageNet. Freeze the convolutional base layers to preserve learned features, and only train the newly added dense layers specific to leaf illnesses classification.
- **Model Architecture:** Add new dense layers on top of the pre-trained CNN base for leaf illness classification. Experiment with different architectures and activation functions (such as ReLU and softmax) to achieve optimal performance.
- **Training:** Compile the model using suitable optimizers (e.g., Adam) and loss functions (e.g., categorical cross entropy). Educate the model using the training information and adjust hyperparameters based on validation set performance. Monitor evaluators such as accuracy, precision, recall, and F1-score throughout training.
- **Evaluation:** Evaluate the model's generalization ability utilizing the test set. Analyze metrics and compile a confusion matrix to understand classification performance across different leaf disease categories.
- **Deployment:** Integrate the proficient model into a real

time illness identification system. Provide an interface allowing users to capture leaf images using cameras and input them within the framework for quick classification. Continuously monitor system performance and make necessary adjustments to maintain optimal results.

V. RESULTS AND CONCLUSION

The way in which the trained CNN model was analyzed using measurements like accuracy, precision, recall, and F1-score on the testing dataset. The findings indicate that the suggested method significantly improves the precision of leaf illnesses identification compared to ancient methods. The model demonstrated a high accuracy rate, effectively distinguishing between affected and healthy leaves. The CNN's quantity to automatically extract and learn patterns from pictures contributed to its excellent performance. Data augmentation strategies enabled the template for generalize well and maintain consistent performance across various test scenarios and types of diseases.

This research proposes an effective approach utilizing the Keras toolkit and CNN for leaf illnesses detection. The automated detection process offers a rapid and accurate alternative to manual examination, presenting significant benefits to farmers and agricultural researchers owing to the model's high accuracy and robustness. Future research will concentrate on enhancing the model's scalability and practicality, which includes increasing the dataset's diversity and size to improve the model's generalization capabilities, implementing the model on IoT devices such as smartphones and drones for real-time disease monitoring and management, and developing the model to detect multiple diseases simultaneously and provide comprehensive diagnostic information. By expanding and refining this approach, we can advance precision agriculture and support sustainable farming practices.

REFERENCES

- [1]. Fulari, U. N., Shastri, R. K., & Fulari, A. N. (2020). Leaf disease detection using machine learning. *J. Seybold Rep*, 1533, 9211.
- [2]. Sarkar, C., Gupta, D., Gupta, U., & Hazarika, B. B. (2023). Leaf disease detection using machine learning and deep learning: Review and challenges. *Applied Soft Computing*, 145, 110534.
- [3]. Gavhale, K. R., & Gawande, U. (2014). An overview of the research on plant leaves disease detection using image processing techniques. *Iosr journal of computer engineering (iosr-jce)*, 16(1), 10-16.
- [4]. Bashir, S., & Sharma, N. (2012). Remote area plant disease detection using image processing. *IOSR Journal of Electronics and Communication Engineering*, 2(6), 31-34.



- [5]. Mishra, B., Nema, S., Lambert, M., & Nema, S. (2017, March). Recent technologies of leaf disease detection using image processing approach—A review. In 2017 International Conference on Innovations in Information, Embedded and Communication Systems (ICIIECS) (pp. 1-5). IEEE.
- [6]. Dhaware, C. G., & Wanjale, K. H. (2017, January). A modern approach for plant leaf disease classification which depends on leaf image processing. In 2017 international conference on computer communication and informatics (ICCCI) (pp. 1-4). IEEE.
- [7]. Dey, A. K., Sharma, M., & Meshram, M. R. (2016). Image processing based leaf rot disease, detection of betel vine (*Piper BetleL.*). *Procedia Computer Science*, 85, 748-754.
- [8]. Kaur, N., Devendran, V., & Verma, S. (2019). Detection of plant leaf diseases by applying image processing schemes. *Journal of Computational and Theoretical Nanoscience*, 16(9), 3728-3734.
- [9]. Pugoy, R. A. D., & Mariano, V. Y. (2011, July). Automated rice leaf disease detection using color image analysis. In Third international conference on digital image processing (ICDIP 2011) (Vol. 8009, pp. 93-99). SPIE.
- [10]. Sandhu, G. K., & Kaur, R. (2019, April). Plant disease detection techniques: a review. In 2019 international conference on automation, computational and technology management (ICACTM) (pp. 34-38). IEEE.
- [11]. Renugambal, K., & Senthilraja, B. (2015). Application of image processing techniques in plant disease recognition. *International Journal of Engineering Research & Technology*, 4(3), 919-923.
- [12]. Shruthi, U., Nagaveni, V., & Raghavendra, B. K. (2019, March). A review on machine learning classification techniques for plant disease detection. In 2019 5th International conference on advanced computing & communication systems (ICACCS) (pp. 281-284). IEEE.
- [13]. Fulari, U. N., Shastri, R. K., & Fulari, A. N. (2020). Leaf disease detection using machine learning. *J. Seybold Rep*, 1533, 9211.

IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



OPEN ACCESS

Free and unrestricted access to research for all.



GLOBAL REACH

Connecting researchers and professionals worldwide.



TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website

www.ijeast.com



INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

✉ editor@ijeast.com

🌐 www.ijeast.com

📍 India



2455-2143