



IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY



VOLUME : 10 ISSUE : 12 Print / Issue Publication Date: April 2026



ISSN : 2455-2143



Indexed In



WWW.IJEAST.COM

editor@ijeast.com



SMART FACIAL RECOGNITION BASED ATTENDANCE TECHNIQUE USING OPEN-CV AND FLASK

Dr. Surendra Kumar Agrawal

Assistant Professor, Department of Electronics and Communication Engineering,
Govt. Mahila Engineering College,
Ajmer, Rajasthan, India

Dr. Anil Kumar Sharma

Assistant Professor, Department of Computer Science and Engineering,
Govt. Mahila Engineering College,
Ajmer, Rajasthan, India

Abstract: Accurate and efficient attendance management is crucial for organizations, educational institutions, and workplaces. Traditional methods are prone to errors, inefficiencies, and security vulnerabilities. To address these challenges, this paper proposes a ‘Smart facial recognition-based attendance system’ utilizing Flask and OpenCV for real-time facial recognition and automated attendance tracking. The system employs OpenCV for facial detection and recognition, leveraging deep learning-based face embeddings to ensure high accuracy and scalability. Flask serves as a lightweight backend framework, facilitating seamless integration with a database for storing attendance records. The proposed model automates the process by capturing facial images, matching them against registered profiles, and marking attendance instantly. The integration of real-time processing, secure data handling, and cloud compatibility enhances usability, making it a scalable solution for institutions and organizations seeking modern attendance management. Provisions made in the proposed work highlight the potential of artificial intelligence (AI) driven facial recognition systems in streamlining attendance tracking, reducing human error, and enhancing operational efficiency, offering an innovative step toward automated and secure identification technologies. Future improvements may incorporate multi-factor authentication to further strengthen security.

Keywords: Face Recognition, OpenCV, Attendance System, Python, JavaScript, HTML, Flask.

I. INTRODUCTION

The integration of AI and computer vision has led to augment efficiency and security in modern attendance tracking systems. This paper presents a Smart Facial

Recognition Attendance System, developed using Open-CV and Flask, to automate attendance monitoring while addressing challenges such as manual errors, unauthorized access, and scalability restrictions. Unlike conventional attendance methods that rely on physical identification like Identity document (ID) cards or fingerprint scanners, this system offers a contactless, real-time solution that recognizes facial features with high accuracy. Open-CV facilitates precise face detection and recognition, while Flask serves as the backend framework, ensuring seamless communication with the database for record management. The system captures facial images dynamically, compares them with stored profiles, and logs attendance instantly, reducing dependency on human involvement. Through extensive evaluation, the model demonstrates strong adaptability across different environments, handling variations in facial expressions, lighting conditions, and diverse datasets. This work highlights the significance of AI-driven automation in streamlining attendance monitoring, enhancing security, and improving accessibility. Additionally, potential advancements such as cloud-based storage, liveness detection, and multi-factor authentication could further strengthen the system’s reliability. By integrating machine learning and computer vision techniques, the Smart Facial Recognition Attendance System presents a practical and scalable solution, redefining attendance tracking for institutions, corporate offices, and high-security environments.

For attendance management, facial recognition technology has emerged as an efficient solution, reducing human errors and cultivating security. Traditional systems, such as manual roll calls and fingerprint scanning, were disposed to inefficiencies, prompting a shift toward automated methods. The integration of Open-CV for facial detection and Flask for backend processing enables real-time attendance tracking with enhanced accuracy and scalability. Early



recognition models, including Haar Cascade and Local Binary Patterns Histogram (LBPH), contributed to initial advancements, but deep learning approaches like ResNet now offer superior precision and adaptability. Flask serves as a lightweight web framework, facilitating seamless database management for attendance records. Despite its effectiveness, challenges such as privacy risks, environmental dependencies, and data security persist. Future research aims to incorporate multimodal authentication, cloud integration, and adaptive AI algorithms to further optimize efficiency, reinforcing facial recognition's role in automated attendance management systems. The next section depicts the methodology, outlines the comprehensive approach to developing the Face Recognition Attendance System, detailing each project phase to ensure a robust, efficient, and scalable solution.

II. THE METHODOLOGY

This work purposes automate attendance tracking using facial recognition technology, thereby overpowering the limitations of traditional systems. The principal objective is to create a contactless, efficient system that accurately identifies users in real time. Additionally, the system integrates essential features such as logging attendance into cloud-based storage (Google Sheets) and verifying the physical location of check-ins via global positioning system(GPS) to counteract fraudulent entries. The following steps are taken in the proposed work:

2.1 Data Collection and Dataset Creation

For accurate face recognition, a well-curated dataset is perilous. The methodology begins with:

1. **Image Acquisition:** Multiple images of each user are captured under varying conditions (different angles, lighting, and expressions) to account for real-world variability.
2. **Diversity and Quality:** High-quality images are collected using high-resolution cameras. The dataset includes individuals of various genders and ethnic backgrounds to improve generalizability.
3. **Labelling:** Each image is tagged with unique identifiers (name, ID) that facilitate subsequent training and recognition processes.

2.2 Feature Extraction and Data Preprocessing

For achieving high recognition accuracy, proper preparation of the image data is vital:

1. **Face Detection:** The system isolates facial regions from each image by utilizing OpenCV's Haar Cascades or deep learning-based face detectors.
2. **Image Enhancement:** techniques such as histogram equalization and noise reduction are applied to standardize images, ensuring consistency and improving feature clarity.

3. **Facial Encoding:** These embeddings, done by OpenCV serve as the unique identification for each user.

2.3 Module Development and System Architecture

The system is designed as a modular application, with components developed in Python and integrated via Flask for web-based interactions:

1. **Real-Time Face Recognition Module:** This module captures live video feeds or accepts uploaded images, detects faces, and computes facial embeddings. It then compares these against the pre-stored embeddings to authenticate users.
2. **Attendance Logging:** Once identification is completed, user details along with the timestamp are automatically recorded in a Google Sheets document using the gspread API.
3. **GPS Verification:** To enhance security, the system employs geolocation APIs (like those provided by the geopy library) to capture GPS coordinates. Attendance is only marked if the check-in occurs within a designated geofence.
4. **User Interface:** A Flask-based front end allows administrators to manage records and view real-time attendance data. The UI provides feedback on recognition results.

2.4 System Testing and Disposition

The developed modules are rigorously tested:

1. **Performance Metrics:** Tests assess recognition accuracy, processing speeds, and the robustness under adverse lighting or facial occlusions.
2. **Field Testing:** Simulations are run in diverse environmental conditions to validate both the recognition and GPS-based authorization.
3. **Scalability Considerations:** The system's response to increasing numbers of registered users is evaluated to ensure long-term usability.
4. **Future Enhancements:** Potential improvements include incorporating advanced deep learning architectures (e.g., ResNet CNNs) for better accuracy in challenging environments, and integrating additional biometric modalities for multi-factor authentication.




Figure 1: Face Recognition System's Architecture

Figure 1 shows the facial recognition process, where images are converted into numerical encodings representing unique facial features. These are compared against a stored database in Google Sheets, matching faces with names. The system supports real-time identification using pre-existing images or live webcam feeds, ensuring efficiency.




Figure 2: Haar Cascade algorithm depiction

Figure 2 depicts the Haar Cascade Algorithm, a machine learning technique for facial recognition. It analyzes pixel intensity differences, uses positive and negative image training, applies a sliding window scan, and filters false positives to enhance accuracy.

III. RESULTS AND DISCUSSION

Under optimal lighting, the Smart Facial Recognition Attendance System, attained 96% accuracy, swiftly identifying individuals in 0.9 seconds per detection. In challenging circumstances, such as low light and facial obstructions, accuracy dropped to 90–92%, though image preprocessing techniques improved reliability. False acceptance rates were 2–3%, while false rejections stood at

3% due to lighting variations. GPS-based verification ensured location authenticity, and Google Sheets integration secured real-time data storage, making this system scalable, secure, and effective for attendance management.



Figure 3: Automated Attendance System Using Facial Recognition System

Figure 3 illustrates a facial recognition attendance system that detects faces, prompts for student names, and logs attendance in real time using the `log_attendance()` function, ensuring accuracy, automation, and error-free tracking for improved efficiency.




Figure 4: Attendance tracking webpage designed for efficient recordkeeping

Figure 4 displays the "Mark Attendance" webpage with a text input field for name or ID and a button to log attendance. The webpage is built using Flask and ngrok, which enables efficient testing via a public URL.


Mark Attendance



Attendance marked for Divyanshi at 18:43:50 with coordinates: (26.8894208, 75.7858304).

Figure 5: Attendance logging on a webpage displaying timestamp and GPS coordinates

Figure 5 exemplifies a streamlined attendance marking system where users input their name and confirm attendance with a single click. The system logs timestamps for accountability, ensuring efficiency and reliability through a clean, user-friendly interface optimized for quick attendance tracking.



	A	B	C	D	E	F
1						
2	Name/ ID	Image	Date	Time		
3	21iam06	18:11:19	26.5108785	74.6883356		
4	21iam13	photo.jpg	2025-04-16	23:02:28		
5	Divyanshi Singh	Mini.jpg	2025-04-18	15:35:34		
6	Divyanshi Singh	18:13:55	26.5108785	74.6883356		
7	John Doe	2025-04-17 15				
8	Kanak Agarwal	Kanak.jpg	2025-04-17	13:04:11		
9	Mahima Khosle/ive	photo.jpg	2025-04-17	12:17:11		
10	Shubhangee Agarw	student4.jpg	2025-04-21	19:33:31		
11	Unknown	2025-04-22 14	Denied - No Ma			
12	Unknown	2025-04-22 14	Denied - No Ma			
13	Unknown	2025-04-22 14	Denied - No Ma			
14	Unknown	2025-04-22 14	Denied - No Ma			
15	Unknown	2025-04-22 14	Denied - No Ma			
16	Unknown	2025-04-22 14	Denied - No Ma			
17	Unknown	2025-04-22 14	Denied - No Ma			

Figure 6: Google Sheet titled "Attendance"

Figure 6 showcases a Google Sheet titled "Attendance," systematically recording individual entries with name and timestamp via image-based identification. Automated time stamping ensures valid records, enhancing accuracy.



Figure 7: QR Code for Automatic Student Attendance

Figure 7 is a unique QR code that grants authenticated users access to the automatic attendance system, ensuring secure, pin code or face-recognition-based verification for seamless tracking.



Figure 8: Attendance Successfully Marked via QR Code Verification

The QR code displayed in Figure 8 confirms the successful attendance marking process through an automated system. By scanning the code, the system validates the user's identity using face recognition before logging attendance. The system then generates the message that 'Attendance was marked successfully'.




Figure 9: Face detected with 'No Mask' at 99 % accuracy

Figure 9 showcases a close-up image of a person's face, marked by a red bounding box with the label "No Mask: 99 %", indicating high recognition accuracy. The individual wears glasses and a light-colored shirt, which might affect detection precision.

Table 1: Confusion Matrix: Evaluating System Accuracy and Reliability

Actual /Predicted	Recognized (Positive)	Not Recognized (Negative)
Registered (Positive)	95 (True Positive, TP)	5 (False Negative, FN)
Not Registered (Negative)	3 (False Positive, FP)	97 (True Negative, TN)

Maximizing True Positives (TP) ensures precise attendance tracking, minimizing False Negatives (FN) that skip detections and False Positives (FP) that misidentify individuals as shown in Table 1. A robust model enhances accuracy, providing seamless, secure, and reliable automation for efficient workforce management. Optimization is key to the improvement of the work.



Table 2: Smart Face Recognition vs. Traditional Attendance: A Comparison

Feature	Smart face recognition	Traditional Attendance
Accuracy	High	moderate
Speed	Instantaneous verification	Time consuming
Security	High secure with biometric verification	Less secure , can be manipulated
User Experience	Contactless and convenient	Requires manual input and physical id
Scalability	Easily scalable for large organizations	Challenging to scale for big setups
Implementation cost	Low initial cost	Low initial cost but requires ongoing management
Maintenance	Requires software updates and occasional hardware upgrades	Low maintenance but human supervision needed

Table 2 shows the comparison between smart face recognition and traditional attendance. The Smart Facial Recognition Attendance System offers 96% accuracy and surpasses the traditional methods, real-time biometric authentication, and GPS-based verification to prevent fraud. Cloud integration ensures secure data storage and accessibility, making attendance efficient, automated, and scalable compared to outdated systems.

Under optimal conditions, the Face Recognition Attendance System proves practical, efficient and achieving high accuracy. However, lighting variations and facial obstructions impact performance, highlighting the need for improved preprocessing and deep learning enhancements. GPS validation strengthens security by ensuring physical presence during check-ins, minimizing fraud. While automation improves efficiency, scalability challenges remain, requiring adaptive convolutional neural network (CNN) models for real-time alterations. Future developments will refine accuracy, enhance security, and ensure a scalable solution for academic, corporate, and event environments. In the following section, we present the conclusion of our work, summarizing key findings, achievements, and future enhancements.

IV. CONCLUSION

By integrating Open-CV and advanced encoding for facial detection, the smart face recognition attendance system revolutionizes attendance tracking, minimizing human error and eliminating manual record-keeping. A Flask-based web interface ensures administrators can efficiently manage attendance data, while Google Sheets integration enables secure cloud storage and real-time accessibility. A

significant innovation is GPS-based verification, adding an extra layer of security by confirming user presence within designated locations, mitigating fraudulent entries. The system's biometric recognition, coupled with geolocation enforcement, ensures accuracy and reliability. Testing under diverse conditions, including low-light environments and facial obstructions, confirms its robustness, achieving high precision in real-time performance. Future improvements may include adaptive deep learning models and multi-modal biometric verification to enhance detection accuracy.

Declarations

Conflict of interest: On behalf of all authors, the corresponding author states that there is no conflict of interest.

V. REFERENCES

- [1]. Bradski, G. (2000). The OpenCV Library. Dr. Dobb's Journal of Software Tools, 25(11), (pp. 120–125).
- [2]. Viola, P., & Jones, M. (2001). "Rapid object detection using a boosted cascade of simple features," Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition. DOI: 10.1109/CVPR.2001.990517, (pp. 511–518).
- [3]. Sun, Y., Wang, X., & Tang, X. (2014): Deep Learning Face Representation by JointIdentification-Verification. <https://doi.org/10.48550/arXiv.1406.4773>
- [4]. Parkhi, O. M., Vedaldi, A., & Zisserman, A. (2015): Deep Face Recognition. British Machine Vision Conference (BMVC), 41(1), (pp. 1–12).
- [5]. Hassner, T., Harel, S., Paz, E., & Enbar, R. (2015). Effective face fractalization in unconstrained images. In Proceedings of IEEE international conference on computer vision & pattern recognition (CVPR).
- [6]. Deng, J., Guo, J., & Zafeiriou, S. (2019): 'ArcFace: Additive Angular Margin Loss for Deep Face Recognition'. IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR), 98(4), (pp. 4690–4699).
- [7]. S. H. J, M. R. M and B. B, (2021) "Cloud-Based Attendance Application Using Face Recognition,"5th International Conference on Trends in Electronics and Informatics (ICOEI), Tirunelveli, India.
- [8]. D. B. Vunnava, (2022) "Smart Attendance Management Using Face Recognition," International Journal of Innovative Research in Computer and Communication Engineering, vol. 10, no. 6.
- [9]. Wang, Y., Hu, C., & Wu, J. (2023): Secure Biometric Authentication: Combining Facial



- Recognition with GPS Verification. *International Journal of Biometrics*, 15(3), (pp. 275–289).
- [10]. Kim, H. & Lee, J. (2024): Enhancing Face Recognition Accuracy in Low-Light Conditions Using Adaptive Preprocessing Techniques. *Pattern Recognition Letters*, 105, (pp. 45–57).
- [11]. Deshmukh, Vishal and Patil Anup (2025). Cloud based Attendance Management and Information System. *IJARST*, vol 5, issue 6.
- [12]. Garcia, M. & Patel, R. (2025): Cloud-Based Attendance Systems: Challenges and Innovations. *Proceedings of the IEEE Cloud Computing Symposium*, 198–210.
- [13]. AlruwaisN. M. and Zakariah,” Student Recognition and Activity Monitoring in E-Classes Using Deep Learning in Higher Education,” in *IEEE Access*, vol. 12,doi: 10.1109/ACCESS.2024.3354981, (pp. 66110-66128)
- [14]. Aydemir, F. and Arslan, S. (2023) ”A System Design With Deep Learning and IoT to Ensure EducationContinuity for Post-COVID,” in *IEEE Transactions on Consumer Electronics*, vol. 69, no. 2, doi: 10.1109/TCE.2023.3245129. (pp. 217-225).

IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



OPEN ACCESS

Free and unrestricted access to research for all.



GLOBAL REACH

Connecting researchers and professionals worldwide.



TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website

www.ijeast.com



INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

✉ editor@ijeast.com

🌐 www.ijeast.com

📍 India



2455-2143