



IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY



VOLUME : 6 ISSUE : 2 Print / Issue Publication Date: 25-Aug-2021



ISSN : 2455-2143



DOI : 10.33564/IJEAST.2021.v06i02.027

Indexed In



WWW.IJEAST.COM

editor@ijeast.com



TABULAR FORM OF EULER MODIFIED METHOD

M. Srinivas
Department of Mathematics
Vaagdevi College of Engineering,
Warangal, Telangana, India

Md. Shafeeur Rahman
Department of Mathematics
Vaagdevi College of Engineering,
Warangal, Telangana, India

Abstract— There exist many single step methods to find the solution to a first order ordinary differential equation. Often time consuming and complicated. The proposed method is the alternate way of Euler modified method in the tabular form. Easy to understand and calculate

Keywords— Euler, Differential equation, Solution, Modified method.

I. INTRODUCTION

Several problems in science and technology can be formulated into differential equations. The analytical methods of solving differential equations are applicable only to a limited class of equations. Quite often differential equations appearing in physical problems do not belong to any of these familiar types and one is obliged to resort to numerical methods. These methods are of even greater importance when we realize that computing machines are now readily available which reduce numerical work considerably.

In the methods of Euler, Runge-Kutta, Milne, Adams-Bashforth, etc. the next point on the curve is evaluated in short steps ahead, by performing iterations until sufficient accuracy is achieved. As such, these methods are called step-by-step methods.

Euler and Runge-Kutta methods are used for computing y over a limited range of x - values whereas Milne and Adams methods may be applied for finding y over a wider range of x -values.

If the conditions are prescribed at one point only (say, x_0), then the differential equation together with the conditions constitute an initial value problem of the n th order. If the conditions are prescribed at two or more points, then the problem is termed as boundary value problem.

The Euler method (also called as Forward Euler method) is a first-order method, which means that the local error (error per step) is proportional to the square of the step size, and the global error (error at a given time) is proportional to the step size. Here the error represents difference between the exact solution and the Euler approximation. The Euler method often serves as the basis to construct more complex methods. It is a first-order numerical procedure for solving first order ordinary differential equations (ODEs) with a given initial value. It is the most basic explicit

method for numerical integration of ordinary differential equations and is the simplest Runge–Kutta method.

The Euler method is more accurate if the step size is smaller

II. PROPOSED ALGORITHM

Step-1: Let $\frac{dy}{dx} = f(x, y)$ be the first order ordinary differential equation with the initial condition $y(x_0) = y_0$.

Step-2: Let h be the difference between the equally spaced data.

Step-3: Construct a table for Euler modified method with the columns

$$x, y^1 = \frac{dy}{dx} = f(x, y), \text{ Mean and}$$

New $y = y_0 + h$ (mean) where
 $x = x_0$, mean = the average of present y' and starting y

Step-4: The starting value of x is x_0 and from the next $x = x_0 + h$

Step-5: The starting value of new y of the table only is calculated by Euler formula
 $y_1 = y_0 + h \cdot f(x, y)$.

Step-6: There is no change in the values of x and y_0 till the successive approximate values of new y are equal.

III. EXPERIMENT AND RESULT

3.1. To Find y at $x=0.2$ of $\frac{dy}{dx} = x + y$ with the condition $y(0) = 1$ and $h = 0.1$.

Let us consider $f(x,y) = x + y$ and $x_0 = 0, y_0 = 1$.
Constructing a table for Euler modified method by the proposed algorithm, we have



x	$y^1 = \frac{dy}{dx} = x + y$	Mean	New $y = y_0 + h(\text{mean})$
0	$x_0 + y_0 = 0 + 1 = 1$	-	$y_1 = y_0 + h \cdot f(x, y)$ $= 1 + 0.1 f(0, 1)$ $= 1 + 0.1(0 + 1) = 1.1$
0.1	$0.1 + 1.1 = 1.2$	$\frac{1}{2}(1.2 + 1) = 1.1$	$1 + 0.1(1.1) = 1.11$
0.1	$0.1 + 1.11 = 1.21$	$\frac{1}{2}(1.21 + 1) = 1.105$	$1 + 0.1(1.105) = 1.1105$
0.1	$0.1 + 1.1105 = 1.2105$	$\frac{1}{2}(1.2105 + 1) = 1.10525$	$1 + 0.1(1.10525) = 1.110525$

Since the last two successive values of New y are approximately equal, $y(0.1) = 1.1105$.

i.e. At $x = 0.1, y = 1.1105$

Proceeding with the next table with

$x_0 = 0.1, y_0 = 1.1105$, we have

x	$y^1 = \frac{dy}{dx} = x + y$	Mean	New $y = y_0 + h(\text{mean})$
0.1	$0.1 + 1.1105$	-	$y_1 = y_0 + h \cdot f(x, y)$ $= 1.1105 + 0.1 f(0.1, 1.1105)$ $= 1.23155$
0.2	$0.2 + 1.23155 = 1.43155$	$\frac{1}{2}(1.43155 + 1.2105) = 1.321$	$1.1105 + 0.1(1.321) = 1.2426$
0.2	$0.2 + 1.2426 = 1.4426$	$\frac{1}{2}(1.4426 + 1.2105) = 1.326$	$1.1105 + 0.1(1.326) = 1.24315$
0.2	$0.2 + 1.24315 = 1.44315$	$\frac{1}{2}(1.44431 + 1.2105) = 1.32682$	$1.1105 + 0.1(1.32682) = 1.2431$

Since the last two successive values of New y are approximately equal, $y(0.2) = 1.2431$.

i.e. At $x = 0.2, y = 1.2431$.

3.2. To find $y(0.2)$ and $y(0.4)$ of $\frac{dy}{dx} = y + e^x$ with $y(0)=0$ and $h=0.2$.

Let us consider $f(x, y) = y + e^x$ and $x_0 = 0, y_0 = 0$.

Proceeding with the proposed algorithm for Euler modified method, From the iteration-1, $y(0.2) = 0.2468$.

From the iteration-2, 0.6031 .

3.3 To find $y(0.1)$ of $\frac{dy}{dx} = \frac{y-x}{y+x}$ with $y(0)=1$ and $h=0.02$.

On applying proposed algorithm,

Let $f(x, y) = \frac{y-x}{y+x}$ and $x_0 = 0, y_0 = 1$

From the iteration-1, $y(0.02) = 1.01961$.

From the iteration-2, $y(0.04) = 1.03848$

From the iteration-3, $y(0.06) = 1.05729$

From the iteration-4, $y(0.08) = 1.0755$

From the iteration-5, $y(0.1) = 1.0934$

IV. CONCLUSIONS

The proposed method is the easiest way of calculating the approximate solution of first order ordinary differential equation. It is giving almost the same solution to that of standard Euler modified method.

V. REFERENCES

- [1]. Atkinson, Kendall A. (1989). An Introduction to Numerical Analysis (2nd ed.). New York: John Wiley & Sons. ISBN 978-0-471-50023-0.
- [2]. Ascher, Uri M.; Petzold, Linda R. (1998). Computer Methods for Ordinary Differential Equations and Differential-Algebraic Equations. Philadelphia: Society for Industrial and Applied Mathematics. ISBN 978-0-89871-412-8.
- [3]. Butcher, John C. (2003). Numerical Methods for Ordinary Differential Equations. New York: John Wiley & Sons. ISBN 978-0-471-96758-3.
- [4]. Hairer, Ernst; Nørsett, Syvert Paul; Wanner, Gerhard (1993). Solving ordinary differential equations I: Nonstiff problems. Berlin, New York: Springer-Verlag. ISBN 978-3-540-56670-0.
- [5]. Iserles, Arieh (1996). A First Course in the Numerical Analysis of Differential Equations. Cambridge University Press. ISBN 978-0-521-55655-2.
- [6]. Stoer, Josef; Bulirsch, Roland (2002). Introduction to Numerical Analysis (3rd ed.). Berlin, New York: Springer-Verlag. ISBN 978-0-387-95452-3.
- [7]. Lakoba, Taras I. (2012), Simple Euler method and its modifications (PDF) (Lecture notes for MATH334), University of Vermont, retrieved 29 February 2012

IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



OPEN ACCESS

Free and unrestricted access to research for all.



GLOBAL REACH

Connecting researchers and professionals worldwide.



TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website

www.ijeast.com



INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

✉ editor@ijeast.com

🌐 www.ijeast.com

📍 India



2455-2143