



# IJEAST

INTERNATIONAL JOURNAL  
OF ENGINEERING APPLIED SCIENCE  
AND TECHNOLOGY



VOLUME : 9    ISSUE : 01    Print / Issue Publication Date: 14-Aug-2024



ISSN : 2455-2143



Indexed In



[WWW.IJEAST.COM](http://WWW.IJEAST.COM)

[editor@ijeast.com](mailto:editor@ijeast.com)



# SOUND-BASED WILDLIFE PROTECTION WITH MACHINE LEARNING

Mrs. Rajeshwari M

Assistant Professor

Department of Master of Computer Applications

Vivekananda College of Engineering and Technology Puttur, India

Shodhan B C

II MCA, Department of Master of Computer Applications

Vivekananda College of Engineering and Technology Puttur, India

Gahan V S

II MCA, Department of Master of Computer Applications

Vivekananda College of Engineering and Technology Puttur, India

**Abstract**—This research presents an automated system using acoustic and ML technologies to detect wildlife poaching. Utilizing Streamlit for user interface, users can upload and analyze audio files from restricted areas. The system alerts conservation officials via Telegram upon detecting suspicious sounds like gunfire or footsteps, ensuring swift responses. It comprises a user friendly interface for uploading and processing recordings, a ML algorithm trained to identify poaching-related noises using spectrograms, and real-time notification via Telegram for immediate action. This innovative approach enhances anti-poaching efforts efficiently and affordably, underscoring technology's pivotal role in biodiversity conservation.

**Index Terms**—Audio Analysis, Conservation Technology, Environmental Monitoring, Machine Learning (ML), Poaching detection.

## I. INTRODUCTION

Global biodiversity faces severe threats from illegal poaching, particularly in vast and remote areas where traditional monitoring methods fall short. To address this challenge, conservationists are turning to advanced machine learning and audio analysis tools. By analyzing distinct acoustic signals such as gunshots and vehicle noises from remote monitoring devices, these technologies aim to detect poaching activities remotely. Despite technical challenges like background noise

interference and logistical issues with remote device maintenance, integrating ethical considerations remains crucial. This approach strives to enhance wildlife crime detection, foster scalable conservation efforts, and ensure responsible use of surveillance technology in ecological and community settings.

## A. Objectives

The research work focuses on achieving key objectives: utilizing sound analysis and machine learning for wildlife poaching detection, converting audio signals into wave format to facilitate analysis, implementing critical preprocessing steps for noise reduction and feature extraction, effectively classifying ambient audio patterns, and developing a user-friendly interface for quick reaction and data analysis. These efforts aim to enhance conservation efforts by providing timely alerts to authorities and improving safeguards for the environments and species that are endangered.

## II. RELATED WORKS

The related works section delves into several key papers addressing the multifaceted challenges faced by farmers in Karnataka, In addition to the strategies proposed to mitigate these issues and enhance agricultural sustainability.

Research on gunshot detection algorithms focuses on enhancing the precision of acoustic-based systems. Various Signal Processing (SP) methods, ML models, and Pattern recognition algorithms are investigated to distinguish gunshot



noises from ambient sounds. Reliable algorithms are crucial for security and law enforcement applications, additionally for adapting similar technology to detect wildlife poaching. This adaptation involves differentiating gunshots from other natural noises in wildlife habitats, emphasizing the requirement for robust detection systems in conservation efforts [1].

Research into real-time poaching detection has explored diverse technological strategies. Acoustic sensors paired with ML techniques such as Support Vector Machines (SVMs) are utilized to identify poaching-related sounds like gunfire and vehicle movements. Furthermore, motion and infrared sensors are deployed to detect human presence in protected wildlife zones. These advancements aim to establish dependable monitoring systems capable of prompt alerts to authorities, crucial for safeguarding ecosystems and species from illicit activities [2].

Predictive modeling and advanced data analysis are pivotal in forecasting poaching incidents. Researchers utilize statistical and ML methods to detect temporal patterns and hotspot areas, enabling proactive conservation efforts. Integrating sensor technology enhances real-time monitoring capabilities, crucial for swift responses to illegal activities and biodiversity protection [3].

Utilizing spatiotemporal data analysis techniques like Dynamic Time Warping (DTW), researchers enhance the accuracy of detecting poaching activities in natural settings. Sensor technology and ML algorithms analyze behavioral patterns and auditory signals associated with illegal wildlife activities. These methods aim to establish reliable monitoring systems capable of real-time threat detection and proactive intervention, crucial for biodiversity protection and mitigating the impacts of poaching. Technical innovations are pivotal in safeguarding species and ecosystems [4].

A proposed IoT-based anti-poaching solution aims to enhance wildlife protection by leveraging innovative IoT technologies. This approach focuses on bolstering conservation efforts through advanced monitoring capabilities and preemptive measures against illegal activities in natural ecosystems [5].

A systematic approach to compare wildlife patrol strategies has been proposed, employing experimental design to evaluate the effectiveness of various techniques. This research seeks to ascertain the most efficient patrol methods to enhance anti-poaching operations and protect wildlife reserves [6].

A system employing received signal power and ML to estimate the direction of arrival and detect gunshots has been proposed. This utilizes advanced technology methods to accurately locate and determine the origins of gunfire, thereby enhancing security measures [7].

### III. PROPOSED SYSTEM

The workflow of proposed method is illustrated in figure 1. The proposed method involves a systematic approach to enhance conservation efforts. Initially, audio recordings are gathered from wildlife habitats to capture diverse sounds, including wildlife and human activities like gunshots or vehicle engines. Following data collection, significant characteristics are taken out of the audio to identify specific acoustic patterns indicative of poaching events. ML algorithms evaluate these features, learning to distinguish patterns associated with illegal activities through training on annotated datasets.

Once trained, the ML model operates in real-time, monitoring incoming audio streams to automatically detect and categorize potential poaching incidents based on learned patterns. Upon detection, the system triggers alerts to notify relevant authorities or conservationists promptly.

Continuous improvement mechanisms, including feedback loops and iterative updates, enable the system to adapt and refine its detection capabilities over time. This iterative process enhances the model's accuracy and reliability, thereby strengthening overall wildlife protection measures.

In essence, this approach aims to establish an automated and proactive system for wildlife conservation. By improving response times to potential threats and advancing conservation outcomes, the method aims to mitigate the impact of illegal poaching on endangered species and biodiversity.




Fig. 1. Workflow of System



#### IV. METHODOLOGY

##### A. Data Collection

Recordings of audio are gathered from wildlife habitats, capturing various sounds including wildlife calls and potential poaching activities such as gunshots or vehicle engines. These recordings serve as the foundational data for the subsequent analysis.

##### B. Preprocessing

After data collection, the audio signals undergo preprocessing to enhance quality and isolate features relevant to poaching events. Techniques like noise reduction and feature extraction are applied to prepare the data for further analysis.

##### C. Machine Learning Algorithms

Specialized ML algorithms for sound identification and categorization are employed. These algorithms analyze the preprocessed audio data to differentiate between normal environmental sounds and those associated with illegal

poaching activities by identifying specific acoustic patterns.

##### D. Real-time Operation

Trained ML models are deployed for real-time operation. They continuously monitor audio streams from remote devices, automatically detecting and categorizing potential poaching incidents based on the patterns they have learned. This capability enables the system to trigger alerts for immediate response by authorities or conservationists upon detection of suspicious activity.

##### E. Continuous Improvement

Throughout the implementation process, continuous feedback mechanisms are integrated. These mechanisms allow the system to adapt and refine its detection capabilities over time in response to new acoustic environments and evolving poaching tactics. This iterative process aims to enhance the accuracy and reliability of the system's performance.

#### V. RESULTS AND CONCLUSION




Fig. 2. Web Application




Fig. 3. Sample Alert

The implementation of ML algorithms in the wildlife poaching detection system proved highly effective in discerning and categorizing potential poaching incidents based on acoustic patterns. The system demonstrated robust capabilities in distinguishing distinct sounds associated with illegal activities amidst different degrees of background noise and environmental conditions. Examination of the results showcased the model's ability to attain a high degree of precision in differentiating between normal wildlife sounds and those indicative of poaching.

The project successfully developed and deployed machine learning algorithms specifically tailored to identify and classify acoustic signatures related to poaching activities such as gunshots and vehicle engines. Significant improvements in detection accuracy and reliability were achieved through advancements in audio data processing, including effective noise mitigation and format conversion techniques. Rigorous model training played a part in the system's capability for real time alert generation, enabling swift conservation responses to potential threats.

The integration of a user-friendly interface further enhanced system usability, empowering conservationists with intuitive tools to manage and protect wildlife habitats effectively. Figure 2, illustrates the example screenshot of the webpage showing audio analysis results, while Figure 3, displays a sample alert generated by the system in response to a potential poaching incident. These visuals provide concrete use of the system's interface and operational outcomes, enhancing comprehension of its functionality and impact in real-world conservation scenarios.

In essence, this approach establishes an automated and proactive system for wildlife conservation. By facilitating faster response times to potential threats and advancing conservation outcomes, the method aims to mitigate the result of illegal poaching on endangered species and biodiversity.

## REFERENCES

- [1]. Chacon-Rodriguez, A., Julian, P., Castro, L., Alvarado, P., & Hernandez, N. (2010). Evaluation of gunshot detection algorithms. *IEEE Transactions on Circuits and Systems I: Regular Papers*, 58(2), 363-373.
- [2]. Sarma, T., & Baruah, V. (2015, May). Real time poaching detection: a design approach. In *2015 International Conference on Industrial Instrumentation and Control (ICIC)* (pp. 922-924). IEEE.
- [3]. Fang, F., Nguyen, T. H., Sinha, A., Gholami, S., Plumptre, A., Joppa, L., ... & Beale, C. M. (2017). Predicting poaching for wildlife protection. *IBM Journal of Research and Development*, 61(6), 3-1.
- [4]. Puri, A. (2021, October). A Novel Wildlife Poaching Detection Solution using Spatio-temporal Data with Dynamic Time Warping. In *2021 IEEE MIT Undergraduate Research Technology Conference (URTC)* (pp. 1-5). IEEE.
- [5]. Cambron, M. E., Brode, C., Butler, P., & Olszewski, G. (2015, April). Poacher detection at fence crossing. In *SoutheastCon 2015* (pp. 1-2). IEEE.
- [6]. Van Doormaal, N., Lemieux, A. M., Ruiter, S., Allin, P. M., & Spencer, C. R. (2022). Detecting wildlife poaching: a rigorous method for comparing patrol strategies using an experimental design. *Oryx*, 56(4), 572-580.
- [7]. Grahn, D., & Cooper, T. (2023). Gunshot Detection and Direction of Arrival Estimation Using Machine Learning and Received Signal Power.
- [8]. Ye, Z., & Cai, Z. (2023). Non-salient Object Detection Algorithm Based on Infrared Image. *IEEE Geoscience and Remote Sensing Letters*.



- [9]. Santhanamari, G., Dharshini, B., Kousalya, S., & Akash, R. (2023, February). Radar Based Target Detection and Classification. In 2023 International Conference on Intelligent Systems for Communication, IoT and Security (ICISCoIS) (pp. 412-416). IEEE.
- [10]. Swider, C. R. (2023). Acoustic behavior, poaching risk, and habitat use in African forest elephants (*Loxodonta cyclotis*): Insights from passive acoustic monitoring (Doctoral dissertation, Syracuse University).
- [11]. Perez-Granados, C., & Schuchmann, K. L. (2023). The sound of the 'illegal: Applying bioacoustics for long-term monitoring of illegal cattle in protected areas. *Ecological Informatics*, 74, 101981.
- [12]. Sharma, S., Sato, K., & Gautam, B. P. (2022, December). Bioacoustics Monitoring of Wildlife
- [15]. Katsis, L. K., Hill, A. P., Pina-Covarrubias, E., Prince, P., Rogers, ~ A., Doncaster, C. P., & Snaddon, J. L. (2022). Automated detection of gunshots in tropical forests using convolutional neural networks. *Ecological Indicators*, 141, 109128.
- [16]. Hegde, K., & Sen, S. (2022). IoT-Based Anti-poaching Technology to Save Wildlife. In *Proceedings of International Conference on Advanced Computing Applications: ICACA 2021* (pp. 41-52). Springer Singapore.
- [17]. Bjorck, J., Rappazzo, B. H., Chen, D., Bernstein, R., Wrege, P. H., & Gomes, C. P. (2019, July). Automatic detection and compression for passive acoustic monitoring of the african forest elephant. In *Proceedings of the AAAI conference on artificial intelligence* (Vol. 33, No. 01, pp. 476-484).
- [18]. Tan, T. F., Teoh, S. S., Fow, J. E., & Yen, K. S. (2016, December). Embedded human detection system based on thermal and infrared sensors for anti-poaching application. In 2016 IEEE Conference on Systems, Process and Control (ICSPC) (pp. 37-42). IEEE.
- [19]. Kellenberger, B., Volpi, M., & Tuia, D. (2017, July). Fast animal detection in UAV images using convolutional neural networks. In 2017 IEEE international geoscience and remote sensing symposium (IGARSS) (pp. 866-869). IEEE.
- [20]. Lopez-Tello, C., & Muthukumar, V. (2018, August). Classifying acoustic signals for wildlife monitoring and poacher detection on UAVs. In 2018 21st Euromicro conference on digital system design (DSD) (pp. 685- 690). IEEE.
- using Artificial Intelligence: A Methodological Literature Review. In 2022 International Conference on Networking and Network Applications (NaNA) (pp. 1-9). IEEE.
- [13]. Pardo, J. M., Cruz, P., Moya, S., Pizzio, E., Foletto, F., Robino, F., ... & De Angelo, C. (2022). Predicting poaching hotspots in the largest remnant of the Atlantic Forest by combining passive acoustic monitoring and occupancy models. *Biological Conservation*, 272, 109600.
- [14]. Meena, D., Jahnvi, C. N. V., Manasa, P. L., & Sheela, J. (2022, September). Efficient Wildlife Intrusion Detection System using Hybrid Algorithm. In 2022 4th International Conference on Inventive Research in Computing Applications (ICIRCA) (pp. 536-542). IEEE.
- [21]. Kamminga, J., Ayele, E., Meratnia, N., & Havinga, P. (2018). Poaching detection technologies a survey. *Sensors*, 18(5), 1474.
- [22]. Gholami, S., Xu, L., Mc Carthy, S., Dilkina, B., Plumpre, A., Tambe, M., ... & Enyel, E. (2019). Stay ahead of poachers: Illegal wildlife poaching prediction and patrol planning under uncertainty with field test evaluations.
- [23]. Edemacu, K., Kim, J. W., Jang, B., & Park, H. K. (2019, January). Poacher detection in African game parks and reserves with IoT: Machine learning approach. In 2019 International Conference on Green and Human Information Technology (ICGHIT) (pp. 12-17). IEEE.
- [24]. Penny, S. G., White, R. L., Scott, D. M., MacTavish, L., & Pernetta, A. P. (2019). Using drones and sirens to elicit avoidance behaviour in white rhinoceros as an anti-poaching tactic. *Proceedings of the Royal Society B*, 286(1907), 20191135.
- [25]. Akula, A., Kaur, V., Guleria, N., Ghosh, R., & Kumar, S. (2020, June). Real-time thermal infrared moving target detection and recognition using deep learned features. In *Automatic Target Recognition XXX* (Vol. 11394, pp. 239-247). SPIE.

# IJEAST

INTERNATIONAL JOURNAL  
OF ENGINEERING APPLIED SCIENCE  
AND TECHNOLOGY

## ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

## FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



### PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



### OPEN ACCESS

Free and unrestricted access to research for all.



### GLOBAL REACH

Connecting researchers and professionals worldwide.



### TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website

[www.ijeast.com](http://www.ijeast.com)



INTERNATIONAL JOURNAL  
OF ENGINEERING APPLIED SCIENCE  
AND TECHNOLOGY

✉ [editor@ijeast.com](mailto:editor@ijeast.com)

🌐 [www.ijeast.com](http://www.ijeast.com)

📍 India



2455-2143