



IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY



VOLUME : 9 ISSUE : 05 Print / Issue Publication Date: 08-Dec-2024



ISSN : 2455-2143



DOI : 10.33564/IJEAST.2024.v09i05.011

Indexed In



WWW.IJEAST.COM

editor@ijeast.com

REVIEW ON IDENTIFICATION OF RETINOPATHY USING ML

Ashwini Keskar, Samiksha Balshete, Pooja Gangurde, Prajwal Bhand
Department of IT
UG student, Nashik, Maharashtra, India

Prof. Dr Dipak D.Bage, Prof. Dr A.S. Rumale
Department of IT
Professor, Nashik, Maharashtra, India

Abstract— Retinal diseases, such as diabetic retinopathy, glaucoma, and age-related macular degeneration, are significant causes of visual impairment and blindness worldwide. Early detection of these diseases is crucial for effective treatment and prevention of vision loss. In recent years, deep learning-based methods have shown promising results in disease detection from medical images. This study proposes a novel approach for detecting retinal diseases using convolutional neural networks (CNN) on retina images. Our approach involves the use of a CNN architecture to analyze retina images and classify them as normal or abnormal. The CNN is trained on a large dataset of retina images labeled with corresponding disease diagnoses. The network consists of multiple convolutional and pooling layers, followed by fully connected layers for classification. We also employ data augmentation techniques to increase the size and diversity of the training dataset. Our system is able to detect diseases with high sensitivity and specificity, indicating its potential for real-world applications.

Keywords— Retinal diseases, Convolutional Neural Networks (CNN), Retina images, Disease detection, Medical image analysis.

I. INTRODUCTION

Retinal diseases, such as diabetic retinopathy, age related macular degeneration (AMD), and glaucoma, represent significant global health challenges, as they can lead to irreversible vision loss if left untreated. Early and accurate detection of these diseases is crucial in preserving vision and improving patient outcomes. Traditional methods for diagnosing retinal diseases rely heavily on expert analysis of retinal images captured through fundus photography or optical coherence tomography (OCT). However, manual diagnosis can be time consuming, subjective, and prone to human error. This has driven the need for automated, accurate, and scalable solutions in medical imaging. Convolutional Neural Networks (CNNs), a subset of deep learning models, have emerged as a powerful tool for detecting retinal diseases from images with

high accuracy and efficiency. CNNs are particularly well-suited for image classification tasks due to their ability to automatically learn hierarchical features from input images. In the context of retinal disease detection, CNNs can be trained on large datasets of retinal images to recognize and classify abnormalities such as hemorrhages, exudates, and vessel abnormalities. These features are key indicators of diseases like diabetic retinopathy and glaucoma. By leveraging multiple layers of convolutional filters, CNNs can capture intricate patterns and textures within retinal images that may not be immediately obvious to the human eye. This automated feature extraction process allows CNNs to significantly improve the speed and accuracy of retinal disease detection, making them a valuable tool in ophthalmology. One of the key advantages of using CNNs in retinal disease detection is their ability to process large amounts of image data quickly and with minimal human intervention. Traditional diagnostic approaches require a trained ophthalmologist to manually examine each retinal image, which can be a slow and costly process, particularly in regions where access to specialized healthcare is limited. CNN-based systems, on the other hand, can analyze thousands of images in a fraction of the time, providing rapid and consistent results. This scalability makes CNNs an attractive solution for population-wide screening programs, where large volumes of retinal images need to be processed efficiently. The integration of CNNs into healthcare systems can help reduce the subjectivity inherent in manual diagnoses. Human interpretation of retinal images can vary depending on the experience and expertise of the clinician. CNNs, however, are trained on standardized datasets, ensuring consistent detection of abnormalities across different cases. This can help reduce misdiagnoses and ensure that patients with early stage retinal diseases receive timely treatment. In addition, CNN models can be continuously improved and fine-tuned by incorporating new data, further enhancing their diagnostic capabilities over time. The application of Convolutional Neural Networks to retinal image analysis offers a promising solution for the early detection and classification of retinal diseases. By automating the diagnostic process, CNNs can improve accuracy, reduce costs, and make

retinal disease screening more accessible to a wider population. As deep learning technology continues to advance, the use of CNNs in ophthalmology is expected to expand, contributing to better patient outcomes and a reduction in the global burden of vision-related diseases.

II. LITERATURE SURVEY

1. In the paper "Machine Learning and Artificial Intelligence-Based Diabetes Mellitus Detection and Self-Management: A Systematic Review," Chaki et al. (2020) review the use of machine learning (ML) and artificial intelligence (AI) techniques in the detection and management of diabetes. The paper examines various ML and AI models applied to medical data for early detection, prediction, and self-management of diabetes mellitus. The authors highlight the strengths and limitations of different approaches, such as support vector machines, decision trees, and deep learning models, in terms of accuracy and patient outcomes. The review emphasizes the potential of AI-driven technologies to improve early diagnosis and personalized management of diabetes, but it also addresses challenges like data privacy, integration with healthcare systems, and the need for larger, high quality datasets to validate these models.[1]
2. [Handayani, 2013] proposed a system for the classification of non-proliferative diabetic retinopathy using soft margin SVM. Hard exudates in the retinal fundus images are used to classify severity level of non-proliferative diabetic retinopathy. Mathematical morphology is applied to segment hard exudates. But the system does not include microaneurysms and haemorrhage as the features.[2]
3. [Sangwan, 2015] described a system that identifies different stages of diabetic retinopathy based on blood vessels, haemorrhage and exudates. The features are extracted using image preprocessing and they are fed into the neural network.SVM based training provided into the data and classify the images into three categories as mild, moderate non proliferative diabetic retinopathy and proliferative diabetic retinopathy.
4. Farrikh Alzami, 2019] described a system for diabetic retinopathy grade classification based on fractal analysis and random forest using MESSIDOR dataset. Their system segmented the images, then computed the fractal dimensions as features. They failed to distinguish mild diabetic retinopathy to severe diabetic retinopathy.[4]
5. In the paper titled "Diabetic Retinopathy: Detection and Classification Using AlexNet, GoogleNet, and ResNet50 Convolutional Neural Networks," Caicho et al. (2022) explore the use of deep learning models for the detection and classification of diabetic retinopathy from retinal images. The study compares three well-known convolutional neural network (CNN) architectures—AlexNet, GoogleNet, and ResNet50—to assess their effectiveness in accurately diagnosing diabetic retinopathy. By analyzing key performance metrics such as accuracy, precision, and recall, the authors demonstrate that ResNet50 performs the best among the three models due to its deeper architecture and ability to capture intricate features. The findings emphasize the potential of CNNs in enhancing automated medical diagnosis systems for diabetic retinopathy.[5]
6. Revathy et al. [3], used an SVM-based training approach to data and classified them into three classes as mild, moderate non-proliferative Diabetic Retinopathy and proliferative Diabetic Retinopathy. Approach used various classification algorithms and noted good accuracy with 82%. [6]
7. In the survey by Litjens et al. (2017), titled "A Survey on Deep Learning in Medical Image Analysis," the authors provide a comprehensive review of the applications and advancements of deep learning techniques in the field of medical image analysis. The paper covers various deep learning methodologies, including convolutional neural networks (CNNs), and their impact on different aspects of medical imaging, such as image segmentation, classification, and anomaly detection. The review highlights significant achievements and challenges in implementing deep learning models for diagnosing diseases, improving image quality, and supporting clinical decision making. The authors also discuss future directions for research, including the need for more diverse and annotated datasets, improved model interpretability, and integration of deep learning systems into clinical practice. This survey offers valuable insights into how deep learning is transforming medical image analysis and identifies key areas for further development.[7]
8. In the paper by Islam and Indiramma (2020), titled "Retinal Vessel Segmentation Using Deep Learning – A Study," the authors investigate the application of deep learning techniques for the segmentation of retinal vessels in fundus images. The study focuses on leveraging advanced deep learning models to accurately identify and delineate the complex network of blood vessels in the retina, which is crucial for diagnosing and monitoring retinal diseases. This paper details the methodologies employed, including various deep learning architectures and their effectiveness in improving segmentation accuracy. The authors present their findings on the performance of these models in comparison to traditional segmentation techniques, highlighting improvements in precision and reliability. The research demonstrates the potential of deep learning to enhance retinal image analysis, offering a more robust and automated approach to vessel segmentation, which is essential for early detection and management of retinal conditions.[8]

III. PROPOSED ALGORITHM

The proposed system for detecting retinal diseases using Convolutional Neural Networks (CNNs) aims to revolutionize the diagnostic process by providing an automated, efficient, and highly accurate tool for analyzing retina images. This system employs advanced CNN architectures to process and interpret retinal images, identifying features indicative of diseases such as diabetic retinopathy, glaucoma, and age-related macular degeneration (AMD) with high precision. The CNN model is trained on extensive datasets of labeled retinal images, enabling it to learn complex patterns and anomalies

associated with these conditions. Once trained, the system can quickly and consistently analyze new images, offering real-time diagnostic support and reducing the need for manual examination by specialists. This approach not only enhances diagnostic accuracy but also accelerates the screening process, making it possible to handle large volumes of images efficiently. Additionally, the automated nature of the system increases accessibility to high-quality eye care, particularly in underserved regions, and facilitates early detection and timely treatment, ultimately improving patient outcomes and reducing the burden on healthcare professionals.




Fig1. System Architecture

The proposed method can detect the signs of disease including early signs simultaneously and has no issue in learning to detect an image of a healthy eye. The available datasets do not have box ground truths, so first, we developed the box annotations from given ground truths of the dataset which are necessary for the training of CNN. The input retina image is acquired and preprocessed in the next stage. The selected database is extracted. The model is properly trained using CNN and then classification takes place. The comparison of the test image and the trained model take place followed by the display of the result. If there is a defect or disease in the Human Body the software displays the disease. Collect a large dataset of retina images, including images with normal and abnormal retinas. Preprocess the images to enhance their quality. Split the dataset into training, validation, and test sets. Design a CNN architecture that consists of multiple convolutional and pooling layers, followed by fully connected layers for classification. The architecture should be designed to capture

spatial and spatial-frequency features in the retina images. Consider using transfer learning by pre-training the CNN on a large dataset of natural images and then fine-tuning it on the retina image dataset. Train the CNN model on the training dataset using stochastic gradient descent (SGD) or Adam optimization algorithm. Use cross-entropy loss function as the objective function. Evaluate the performance of the CNN model on the validation dataset using metrics such as accuracy, precision, recall, and F1-score. Perform early stopping when the model's performance on the validation dataset plateaus. Perform hyperparameter tuning using techniques such as grid search or random search. Evaluate the performance of the CNN model on the validation dataset for each set of hyperparameters. Select the hyperparameters that result in the best performance on the validation dataset. Deploy the trained CNN model in a clinical setting or as a standalone tool. Use the model to classify new retina images as normal or abnormal. Evaluate the performance of the model on new datasets and



update it as needed. Compare the performance of the CNN model with human expertise by evaluating the accuracy of diagnoses made by human ophthalmologists versus those made by the CNN model. Use metrics such as accuracy, precision, recall, and F1-score to evaluate the performance of both models. Evaluate the performance of the CNN model on new datasets and refine it as needed. Use techniques such as transfer learning, data augmentation, and hyperparameter tuning to improve the model's performance.

IV. DISCUSSION

Retinal diseases, such as diabetic retinopathy, age related macular degeneration (AMD), and glaucoma, represent significant global health challenges, as they can lead to irreversible vision loss if left untreated. Early and accurate detection of these diseases is crucial in preserving vision and improving patient outcomes. Traditional methods for diagnosing retinal diseases rely heavily on expert analysis of retinal images captured through fundus photography or optical coherence tomography (OCT). However, manual diagnosis can be time-consuming, subjective, and prone to human error. This has driven the need for automated, accurate, and scalable solutions in medical imaging. Convolutional Neural Networks (CNNs), a subset of deep learning models, have emerged as a powerful tool for detecting retinal diseases from images with high accuracy and efficiency. CNNs are particularly well-suited for image classification tasks due to their ability to automatically learn hierarchical features from input images. In the context of retinal disease detection, CNNs can be trained on large datasets of retinal images to recognize and classify abnormalities such as hemorrhages, exudates, and vessel abnormalities. These features are key indicators of diseases like diabetic retinopathy and glaucoma. By leveraging multiple layers of convolutional filters, CNNs can capture intricate patterns and textures within retinal images that may not be immediately obvious to the human eye. This automated feature extraction process allows CNNs to significantly improve the speed and accuracy of retinal disease detection, making them a valuable tool in ophthalmology. One of the key advantages of using CNNs in retinal disease detection is their ability to process large amounts of image data quickly and with minimal human intervention.

V. CONCLUSION

The use of Convolutional Neural Networks (CNNs) for detecting retinal diseases from retina images represents a significant advancement in ophthalmic diagnostics, offering enhanced accuracy, efficiency, and scalability. By leveraging the power of deep learning, CNNs can analyze complex patterns in retinal images, enabling early and precise detection of conditions such as diabetic retinopathy, glaucoma, and age-related macular degeneration. This technology not only improves diagnostic capabilities but also facilitates large-scale screening, remote consultations, and integration into clinical

workflows, thereby expanding access to quality eye care. However, ongoing efforts are needed to address challenges related to data quality, model interpretability, bias, and integration with existing systems. As these issues are resolved, CNN-based detection systems have the potential to transform retinal disease management, offering significant benefits for patient outcomes and global health. Using same concepts but gives the good result as compare to old papers.

VI. REFERENCE

- [1] Chaki, J., Thillai Ganesh, S., Cidham, S.K., Ananda Theertan, S.: Machine learning and artificial intelligence based Diabetes Mellitus detection and self-management: a systematic review. *J. King Saud Univ. Comp. Info. Sci.* (2020).
- [2] Handayani Tjandrasa, Ricky Eka Putra Arya Yudhi Wijaya, Isye Ariesanti, Classification of Non-Proliferative Diabetic Retinopathy based on Hard Exudates using Soft Margin SVM, *IEEE International Conference on Control System, Computing and Engineering*, November 2013.
- [3] Surbhi Sangwan, Vishal Sharma, Misha Kakkar, Identification of Different Stages of Diabetic Retinopathy *International Conference on Computer and Computational Sciences*, 2015.
- [4] Farikh Alzami, Abdussalam, Rama Arya Megantara and Ahmad Zainul Fanani, Diabetic Retinopathy Grade Classification based on Fractal Analysis and Random Forest, *International Seminar on Application for Technology of Information and Communication*, 2019.
- [5] Caicho, J. et al., "Diabetic Retinopathy: Detection and Classification Using AlexNet, GoogleNet and ResNet50 Convolutional Neural Networks" *Smart Technologies, Systems and Applications, Communications in Computer and Information Science*, vol 1532, 2022.
- [6] Revathy R, Nithya BS, Reshma JJ, Ragendhu SS, Sumithra MD (2020) Diabetic retinopathy detection using machine learning. *IJERT* 9.
- [7] Litjens, Geert, et al. "A survey on deep learning in medical image analysis." *Medical image analysis* 42 (2017): 60-88.
- [8] M. M. U. Islam and M. Indiramma, "Retinal Vessel Segmentation using Deep Learning – A Study," 2020 International Conference on Smart Electronics and Communication (ICOSEC), pp. 176-182, 2020.
- [9] M. Venkata Subbarao, J. T. S. Sindhu, N. N. S. Harshitha, "Detection of Retinal Degeneration via High-Resolution Fundus Images using Deep Neural Networks", 2023 Second International Conference on Electronics and Renewable Systems (ICEARS) | 979-8-3503-4664-0/23/\$31.00 ©2023 IEEE | DOI: 10.1109/ICEARS56392.2023.10085273



- [10] S. K. M, M. A. V and S. M, "Retinal Image Processing using Neural Network with Deep Learning," 2022 6th International Conference on Intelligent Computing and Control Systems (ICICCS), pp. 1030-1036, 2022.
- [11] Patel, J., Umar, S.A., "Detection of Imagery Vowel Speech Using Deep Learning, Advances in Energy Technology, vol 766, pp. 237–247, 2022.
- [12] P. Kollapudi, S. Alghamdi, N. Veeraiyah, Y. Alotaibi, S. Thotakura et al., "A new method for scene classification from the remote sensing images," Computers, Materials & Continua, vol. 72, no.1, pp. 1339– 1355, 2022.

IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



OPEN ACCESS

Free and unrestricted access to research for all.



GLOBAL REACH

Connecting researchers and professionals worldwide.



TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website

www.ijeast.com



INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

✉ editor@ijeast.com

🌐 www.ijeast.com

📍 India



2455-2143