

# CRIMINAL FACE IDENTIFICATION USING MACHINE LEARNING

Arun Kumar P Assistant Professor, Department of Information Science and Engineering Jawaharlal Nehru New College of Engineering Shivamogga, Karnataka, India

Amrutha C Udupa UG Student, Department of Information Science and Engineering Jawaharlal Nehru New College of Engineering Shivamogga, Karnataka, India

Chandana M P UG Student, Department of Information Science and Engineering Jawaharlal Nehru New College of Engineering Shivamogga, Karnataka, India

Chinmayee M Chatra UG Student, Department of Information Science and Engineering Jawaharlal Nehru New College of Engineering Shivamogga, Karnataka, India

Abstract- This paper presents a Face Recognition System for Criminal Detection aimed at enhancing law enforcement capabilities through automated face recognition technology. The system utilizes Haar Cascade for robust face detection and Local Binary Patterns Histogram (LBPH) for accurate and efficient recognition, enabling real-time identification of individuals. Developed using Python and OpenCV, the project offers features such as criminal registration, profile management, and image-based surveillance, ensuring a comprehensive solution. The system demonstrates significant potential for deployment in real-world scenarios, addressing challenges in criminal identification while paving the way for future enhancements like video surveillance and integration with advanced machine learning techniques.

Keywords— Face Recognition, Haar Cascade Classifier, Local Binary Patterns Histogram, OpenCV, Image Surveillance, Criminal Identification.

## I. INTRODUCTION

The identification and apprehension of criminals have always been pivotal to maintaining public safety and ensuring justice. With the increasing reliance on technology, face recognition systems have emerged as a vital tool in modern law enforcement. This project, "Face Recognition System for Criminal Detection," focuses on leveraging advanced computer vision techniques to automate and enhance the process of identifying individuals based on facial features. By integrating robust algorithms like Haar Cascade for face detection and Local Binary Patterns Histogram (LBPH) for face recognition, the system achieves a balance between accuracy and efficiency, making it suitable for real-world applications. The system is designed to operate seamlessly, providing functionalities such as criminal data registration, image-based recognition, and profile management within a user-friendly interface.

The proposed system addresses several challenges faced by traditional identification methods, such as dependency on manual efforts, inaccuracies, and delayed processes. Implemented using Python and OpenCV, it offers an end-toend solution for detecting and recognizing individuals from static images, thereby supporting law enforcement in criminal surveillance and monitoring. This paper highlights the technical framework, implementation process, and performance analysis of the system, demonstrating its effectiveness and reliability. Moreover, the project sets the foundation for future enhancements, including video surveillance and integration with artificial intelligence models, ensuring its scalability and relevance in combating evolving security challenges



## II. LITERATURE REVIEW

The project outlined in the paper Face Identification System for Criminal Investigation aligns with a growing body of research focused on applying face recognition technologies to criminal investigations, security, and law enforcement. Several related works explore the challenges of face detection, recognition, and identification systems, particularly in real-world scenarios where factors like lighting conditions, pose variations, and occlusion impact system performance. The paper[1] highlight the use of tools and frameworks such as OpenCV, Haar-Cascade classifiers, and deep learning models like CNN (Convolutional Neural Networks) for facial feature extraction and recognition. By feeding input images (captured through CCTV footage or uploaded images) into the system, the proposed model compares these against stored images in the database.

[2]The system proposed in the paper uses advanced machine learning algorithms, specifically Convolutional Neural Networks (CNNs), to extract distinctive facial features and match them with existing criminal databases. The authors argue that the system is capable of handling large-scale video feeds, making it suitable for deployment in surveillance environments where real-time detection is crucial. The authors highlight the importance of preprocessing techniques like image normalization, contrast adjustment, and noise removal to enhance the quality of captured images and increase the robustness of the system. By utilizing CNNs, the system effectively captures detailed facial features, improving the chances of successful identification despite variations in facial appearances.

The paper [3] on the other hand utilized cloud in face detection. Haar Cascade Classifiers are employed for rapid face detection, while behavioral analysis is achieved through Recurrent Neural Networks (RNNs) or Long Short-Term Memory (LSTM) networks for temporal sequence analysis. By utilizing cloud computing, the system ensures scalability and efficient processing of large video datasets, enabling faster and more accurate analysis. The system integrates these advanced algorithms with cloud-based data storage and processing capabilities to detect known offenders or unusual behavior patterns. This approach aims to assist law enforcement agencies in crime prevention, improving surveillance capabilities, and enhancing public safety through automated and intelligent monitoring. The use of cloud infrastructure also reduces the need for local storage and computational resources, making the system cost-effective and accessible for large-scale deployment.

The work [4] explored Region-based CNNs (R-CNNs), which improve performance by focusing on specific regions of an image for detecting faces. You Only Look Once (YOLO), a real-time object detection system, is highlighted for its fast and accurate face detection capability. Additionally, the paper covers FaceNet, a deep learning model for face recognition that uses a triplet loss function to ensure high accuracy in matching faces across different datasets. VGG-Face and OpenFace are also discussed for their contribution to the enhancement of facial feature extraction and matching techniques.

#### III. PROBLEM DESCRIPTION

This project tackles the challenge of identifying individuals efficiently and accurately for criminal identification purposes. Traditional methods can be slow and prone to errors, while automated systems face hurdles such as varying lighting conditions, facial orientations, and occlusions. To address these issues, the system is designed to quickly and reliably detect and recognize faces from a database of known criminals. By employing the Haar Cascade Classifier for face detection and the LBPH algorithm for recognition, the system achieves a robust and computationally efficient solution. This approach not only enhances the accuracy of criminal identification but also makes the process faster and more reliable, offering a practical tool for real-world law enforcement applications.


#### IV. OBJECTIVES

- Collection relevant datasets and applying preprocessing techniques to clean and organize the data for analysis.
- Using machine learning algorithms to detect faces and extract facial features from the dataset.
- Extracting facial features, detecting faces, and identifying criminals through systematic analysis.
- Analyzing the performance of implemented algorithm to determine their effectiveness in face detection and feature extraction.

#### V. SYSTEM DESIGN AND METHODOLOGY

The following figure outlines the systematic approach used to design and implement a criminal face recognition system. Each step is structured to ensure functionality, precision, and adaptability.





## i. Input Image

The process begins when an image is uploaded or captured as input. The system works best with a single, high-quality image where the face is clearly visible. Images with good lighting, sharpness, and minimal obstructions significantly enhance the accuracy of detection and recognition. Conversely, poor-quality inputs, such as blurry or dimly lit images, can reduce the system's effectiveness. It's important to ensure that the face is centered and unobstructed to maximize performance. High-resolution images are particularly beneficial, as they provide more detail for analysis. A well-prepared input image is the foundation for reliable results.

## ii. Pre-Processing

Once the input image is captured, pre-processing begins to optimize it for face detection and recognition. The image is first converted to grayscale, reducing computational complexity by eliminating color information while retaining essential details. Next, the image is resized to standard dimensions, lowering the processing load without compromising key facial features. To ensure accuracy, noise reduction techniques are applied, removing irrelevant details such as background clutter or minor artifacts. Additionally, histogram equalization may be employed to enhance the image's contrast, making facial features more pronounced and easier to analyze. These steps collectively improve the system's efficiency and accuracy.

## iii. Face Detection (using Haar Cascade)

After pre-processing, the system detects faces using a Haar Cascade Classifier, a machine learning algorithm that analyzes the image for patterns resembling facial features. The detection process involves a sliding window mechanism, where the algorithm scans the image for facial structures like eyes, nose, and mouth. Haar-like features are used to capture specific contrasts or textures distinctive to human faces, and the classifier identifies and marks the regions where faces are located, returning their coordinates (bounding boxes). While Haar Cascades are fast and efficient, they may struggle in challenging conditions like extreme lighting or unusual face angles but perform well under typical circumstances with proper pre-processing.

## iv. Face Recognition (using LBPH)

Once faces are detected, the system uses the Local Binary Patterns Histograms (LBPH) algorithm for recognition. The process starts with face encoding, where the system extracts local binary patterns from the facial image by analysing small regions for texture information based on pixel intensity. These patterns are converted into histograms, which form a numerical representation of the face's distinctive features. The histograms are then compared to those in a pre-trained database of known faces, using metrics like Euclidean distance to find matches. A confidence score is generated based on the similarity, and if the score is above a certain threshold, the system identifies the individual; otherwise, the face is classified as "unknown." LBPH is robust against lighting variations and minor face orientation changes, offering computational efficiency suitable for real-time applications, though its performance may decline with significant pose variations or large differences in appearance.

## v. Classified Result (according to Confidence Score)

After face recognition, the system classifies the result based on the confidence score. If the score is below a predefined threshold, the face is considered unrecognized; if above, the system matches it with a person in the database. If the recognized face is linked to a criminal, the system provides relevant details like the criminal's name and prior crimes for law enforcement use. If no match is found, the system may prompt for a clearer image or send an alert for manual verification. This architecture ensures efficient face detection and recognition, suitable for criminal identification, with performance reliant on image quality, detection accuracy, and the recognition algorithm.

## VI. RESULT

The proposed system is a robust solution for enhancing criminal identification applications by incorporating advanced face detection and recognition technologies. At its core, the system employs Haar Cascades, a proven method



for face detection, which efficiently identifies facial features within an image. This technique is known for its speed and accuracy, making it ideal for real-time applications where quick responses are critical. For the face recognition component, the system utilizes the Local Binary Patterns Histograms (LBPH) algorithm. LBPH is well-regarded for its ability to analyze and compare facial textures by encoding local patterns of light and dark areas. This makes it particularly effective in recognizing faces even under varied lighting conditions, facial expressions, and slight pose variations. Together, these technologies form a powerful combination, ensuring that facial images are processed with high efficiency and reasonable accuracy.

What sets this system apart is its practicality in handling real-world scenarios. It operates smoothly in typical environmental conditions, demonstrating reliability in environments like police stations, public surveillance systems, or forensic investigations. Whether used to verify a suspect's identity or cross-check faces against a criminal database, the system offers a promising tool for modern law enforcement agencies. By leveraging the synergy of Haar Cascades and LBPH, the system not only achieves technical efficiency but also paves the way for a safer society. It underscores the potential of combining cutting-edge computer vision techniques with practical applications, making criminal identification more accessible, accurate, and impactful.

Fig 1 and fig 2 shows the outcome of the project with detect criminal window and his profile consisting his basic information like his name, his father's name, gender, nationality, criminal and employment history etc. once the image is selected and opt for recognition the system compares the uploaded image with the images in the database. If the face is recognized when compared, the system returns the name associated with the image and corresponding information saved in database.



Fig1Successful Registration of Criminal

Name: OsamaFather's_name: MuhammedGender: MaleDob: 1-11900Crimes done: TerrorismNationality: SaudiReligion: IslamArrest records: 2Marital status: UnknownEmployment history: UnknownIdentification mark: Long beard			Crimina	l Profile		
Gender: MaleDob: 1-1-1900Crimes done: TerrorismNationality: SaudiReligion: IslamArrest records: 2Marital status: UnknownEmployment history: Unknown	Name	: Osama				
Dob : 1-1-1900   Crimes done : Terrorism   Nationality : Saudi   Religion : Islam   Arrest records : 2   Marital status : Unknown   Employment history : Unknown	Father's_name	: Muhammed				
Crimes done : Terrorism   Nationality : Saudi   Religion : Islam   Arrest records : 2   Marital status : Unknown   Employment history : Unknown	Gender	: Male				
Nationality : Saudi   Religion : Islam   Arrest records : 2   Marital status : Unknown   Employment history : Unknown	Dob	: 1-1-1900				
Religion : Islam Arrest records : 2 Marital status : Unknown Employment history : Unknown	Crimes done	: Terrorism				
Arrest records : 2 Marital status : Unknown Employment history : Unknown	Nationality	: Saudi				
Marital status : Unknown Employment history : Unknown	Religion	: Islam				
Employment history : Unknown	Arrest records	: 2				
	Marital status	: Unknown				
dentification mark : Long beard	Employment histo	ry : Unknown				
Achtheadon mark . Long beard	dentification mark	C : Long beard				

**Fig 2 Criminal Profile** 



## VII. CONCLUSION

In conclusion, this project demonstrates the successful integration of Haar Cascades for face detection and LBPH for face recognition, offering an efficient and accurate solution for criminal identification. The system effectively processes facial images, achieving reliable face detection recognition under typical conditions, and with computational efficiency suitable for real-time applications. Despite some limitations in challenging environments such as extreme lighting or significant pose variations, the system's performance remains commendable. This approach has significant potential for law enforcement agencies, enhancing security systems and enabling faster, more accurate identification of known criminals. Future work could focus on improving robustness in complex conditions for broader applicability.

#### VIII. REFERENCE

- [1]. P rof. Kiran Yesugade, Apurva Pongade, Shruti Karad, Divya Ingale, Shravani Mahabare, "FACE DETECTION AND RECOGNITION FOR CRIMINAL IDENTIFICATION SYSTEM," published by International Journal of Creative Research Thoughts, 2024.
- [2]. S wati Jagtap, Nilkanth B.Chopade, Sanjay Tungar, "An Investigation of Face Recognition System for Criminal Identification in Surveillance Video," in Computing, Communication, Automation, pp. 2022.
- [3]. S amit Shirsat, Aakash Naik, Darshan Tamse, Jaysingh Yadav, Pratiksha Shetgaonkar, Shailendra Aswale, "Proposed System for Criminal Detection

and Recognition on CCTV Data Using Cloud and Machine Learning," in International Conference on Vision Towards Emerging Trends in Communication and Networking, 2019.

- [4]. A nushree Raj, Rakesh B S, Sujay K, "Survey On Face Detection and Recognition Algorithms Using Deep Learning," in International Journal of Scientific Research and Engineering Development, 2022.
- [5]. S unesh, Anu Saini, Mamta Kumari, "Human Face Recognition System Based on Deep Learning," in International Journal of Research in Engineering, Science and Management, 2022.
- [6]. N agnath B. Aherwadi, Deep Chokshi, Sagar Pande, Aditya Khamparia, "Criminal Identification System using Facial Recognition," 2023.
- [7]. N yoka, Kelvin Sauli Godfrey, Happines Gideon Mwakilembe, Leonard Jonas Mugendi, Oscar David Mbita, Adramane Assoumana, Dawson Ladislaus Msongaleli, "Reliable Face Identification System for Criminal Investigation," in 11th International Symposium on Digital Forensics and Security (ISDFS), pp. 2023.
- [8]. Mary Stella, A. Sarwath Tabassum, Ankur Pathak, Arfa Abbs, Fathimuzehra "Face Detection and Recognition for Lawbreakers Using ML," pp. 2023.
- [9]. Dr. Asif Ali, Radhika Mandhanya, Shraddha Birla, Ujjwal Mandloi and Vipul Jain's "Automatic Face Recognition Attendance System using Python and OpenCV", GRD Journals- Global Research and Development Journal for Engineering, 2021.